

Purchase Order Receipt Listing

Thursday, September 29, 2016 1:18:28 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO33638 All Receipt Dates All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID/Vendor Name VU-MET002 A.M. Castle & Co. (Canada) Inc.- C/O 910720											
PO33638	1		M7075T73B2.500X0 f 3.25		9/29/2016	9/29/2016	4.0000		0.0000	0	\$0.00
USD	No		7075-T73 Bar 2.50 x f 3.25		4.0000	PLOU01			0.0000	0	
			m135792								
	2		M7075T73B4.000x4. f 000		9/29/2016	9/29/2016	8.0000		0.0000	0	\$0.00
	No		7075-T73 Bar 4.0 x f 4.0		8.0000	PLOU01			0.0000	0	
			grain direction along 4" wide								
			m135792								
	3		71401-45		9/29/2016	9/29/2016	1.0000		0.0000	0	\$0.00
	No		procurement quality clauses		1.0000	PLOU01			0.0000	0	
			m135792								
										Total Received Quantity:	13.0000
										Total Qty to Inspect (PO U/M):	0.0000
										Total Reject Quantity:	0.0000
										Total Receipt Value:	\$0.00
										Total Balance Due Quantity:	0.0000

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No:3086861

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 28-SEP-16	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOULIN	BOL No 3086861-2

Shipment Details

Final Destination Branch - TOR

Order No 4491837	Line No 1	Item No 752241.MO	Description 2,5000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 48.5 IN (GRAIN TO RUN ALONG 4") X 3.25 IN (+ 0.0310/- .0000 IN (GRAIN TO RUN ALONG 4")) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12	
Purchase Order No 33638	Part Number	Ordered Qty 1.00 PCS	Invoice Qty 1.00 PCS	
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS				
Delivery No. 120552757	Mill KAISER ALUMINUM	Heat Number 	Mech Id PCs 1	Shipped Qty(LBS) 40.7555
		Width (IN)	Length (IN)	

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.
Date Printed: 28-SEP-2016 03:42:48 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:	Date:	Name:
--	-------	-------

Chris Galt

SEP 28 2016



Sp16-9-27

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

**KAISER
ALUMINUM**

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

Serial Number
4403443

CUSTOMER PO NUMBER: 344049		WORK PACKAGE:	CUSTOMER PART NUMBER: 752241		SHIP RUN/LOAD: 103437/9	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1199092	LINE ITEM: 1	SHIP DATE: 6-JAN-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: KaiserSelect Plate
WEIGHT SHIPPED: 5412 LB	QUANTITY: 3 PCS EST.	TRUCK B/L #: 2057936	GAUGE: 2.5000 IN (63.5000 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)

MHU 1960912: LOT 159738B4: 1 pieces;
MHU 1960921: LOT 782747A0: 2 pieces;

DAS

14

9-09

16/10/06

Certified Specifications

AMS 4078/RevJ
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
MMS 159/RevT

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1
PS 21211/RevM

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 4297

Test Results

Lot: 159738B4 Cast 108 Drop 25 Ingot 5 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	68.8 : 69.0 (474 : 476)	57.6 : 57.7 (397 : 398)	11.4 : 11.9

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.1 Min	40.4 Max
(MS/M) :	23.3 Min	23.4 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.19	1.5	0.05	2.5	0.20	5.7	0.03	0.01	0.01	TOT 0.05



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4403443

Lot: 782747A0 Cast 108 Drop 25 Ingot 5 Parent Lot: 15973884 Melted in USA

(ASTM B8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	69.0 : 69.8 (476 : 480)	58.0 : 58.8 (400 : 405)	11.2 : 11.5

(ASTM E1004)
(EN 2004-1)
Conductivity %IACS : 39.7 Min 40.4 Max
(MS/M) : 23.0 Min 23.4 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.19	1.5	0.05	2.5	0.20	5.7	0.03	0.01	0.01	TOT 0.05

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15413B R 6
AMS 4078, AMS QQ-A-250/12, AMS STD-2154, A
STM B209, ASTM B594, BS
S 7055, CMMP 026, CSTI 006, DPS 4.713, GAMP
S 9101, MMS 159, PS 212

11

TEST NOTES

Metal represented by this test report was 100% Type I
(immersion) ultrasonically tested from one side with 3mm
dead zones top and bottom and meets the Class A and Class B
requirements of all specifications referenced on this test
report. No surface marking of sonic indications is
performed.





Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4403443

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO 9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
- was melted in the United States of America or a qualifying country per OFARS 225.572-1(a), was manufactured in the United States of America, and meets the requirements of OFARS 252.225 for domestic content.
- has been thermally processed in compliance with AMS 2772, where applicable.
- is mercury free, within the limits of detection of ASTM E1251 (≤ 1 ppm).
- is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
- is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR



**Castle Metals®**

A. M. Castle & Co.


PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3086861

Ship From:		Sold To:	Ship To:	Deliver To:
A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier	BOL No
28-SEP-16	ORIGIN	Prepaid	MANITOULIN	3086861-2

Shipment Details	Final Destination Branch - TOR
------------------	--------------------------------

Order No	Line No	Item No	Description				
4491837	2	752132/MO	4.0000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 48.5 IN (GRAIN TO RUN ALONG 4") X 4 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 4")) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12				
Purchase Order No		Part Number	Ordered Qty	Invoice Qty			
33638			2.00 PCS	2.00 PCS			
Details							
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
120552782	KAISER ALUMINUM	 173844821		2			160.8277

8/16/9-22

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.
Date Printed: 28-SEP-2016 03:42:48 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:	Date:	Name:
--	-------	-------

Chris Galt



SEP 28 2016

File 9-29.

SHIP TO: A M CASTLE & CO 3050 SOUTH HYDRAULIC WICHITA, KS 67216
SOLD TO: AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4420569

CUSTOMER PO NUMBER: 378805	WORK PACKAGE: 752132	CUSTOMER PART NUMBER:	SHIP RUN/LOAD: 103581/13	GOV'T CONTRACT NUMBER:		
KAISER ORDER NO: 1212702	LINE ITEM: 1	SHIP DATE: 1-JUN-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: KaiserSelect Plate
WEIGHT SHIPPED: 5700 LB	QUANTITY: 2 PCS EST.	TRUCK B/L #: 2060588	GAUGE: 4.0000 IN (101.6000 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)	

MHU 1999057: LOT 17610380: 1 pieces;

MHU 2000203: LOT 17384482: 1 pieces;

Certified Specifications

AMS 4078/RevJ
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
MMS 159/RevT

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1
PS 21211/RevP

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 4297

Test Results

DAS
14
9-30
16/10/06

Lot: 17384482 Cast 189

Drop 37

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	62.1 : 63.2 (428 : 438)	49.7 : 50.6 (343 : 349)	10.3 : 10.9

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	42.2 Min	42.4 Max
(MS/M) :	24.5 Min	24.6 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.18	1.6	0.02	2.5	0.19	6.0	0.03	0.01	0.02	TOT 0.05



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4420569

Lot: 176103B0 Cast 189 Drop 33 Ingot 2 Melted in USA

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	63.5 : 63.5 (438 : 438)	50.7 : 50.9 (350 : 351)	10.4 : 10.7

(ASTM E1004)
(EN 2004-1)
Conductivity %IACS : 42.2 Min 42.4 Max
(MS/M) : 24.5 Min 24.6 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.06	0.16	1.5	0.02	2.5	0.20	5.8	0.02	0.01	0.02	TOT 0.05

ALLOY LIMITS

7075	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS
AMC CA-15413E R 6

TEST NOTES

Metal represented by this test report was 100% Type I
(immersion) ultrasonically tested from one side with 3mm
dead zones top and bottom and meets the Class A and Class B
requirements of all specifications referenced on this test
report. No surface marking of sonic indications is
performed.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:
* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
* has been thermally processed in compliance with AMS 2772, where applicable.
* is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).
* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

James Hemenway

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER



MATERIAL RECEIPT INSPECTION FORM

MATERIAL 17075T73 B4.00X4.00
DATE 11/10/06

PO BATCH NO 33638/135792

MATERIAL CERTIFIED YES
QUANTITY RECEIVED 8
QUANTITY INSPECTED 8
QUANTITY REJECTED 0

THICKNESS ORDERED 4.00
THICKNESS RECEIVED 4.00
SHEET SIZE ORDERED
SHEET SIZE RECEIVED

DESCRIPTION	NCR (Check Y-N)		COMMENTS
SURFACE DAMAGE	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
CORRECT FINISH	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
CORROSION	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
CORRECT MATERIAL	<input checked="" type="radio"/>	<input checked="" type="radio"/>	4.00
CORRECT THICKNESS	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
PHOTO REQUIRED	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
CORRECT MATERIAL	<input checked="" type="radio"/>	<input checked="" type="radio"/>	HEAT # 173844B2
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/>	<input checked="" type="radio"/>	17075T73 B4.00X4.00
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/>	<input checked="" type="radio"/>	1135792
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
DOES THIS MATERIAL REQUIRE WELDING SIGNOFF	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="radio"/>	<input checked="" type="radio"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK
RECORD RESULTS BELOW

TYPE OF MATERIAL	HRC	HRB	DUR A	DUR B
SIZE OF TEST SAMPLE				
HARDNESS DUROMETER READING				

testers located in the Quality Office

ENGINEERING SIGNOFF (if required)

QC 18 INSPECTION

INSPECTED BY 14
DATE 11/10/06

SIGNED OFF BY
DATE

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL M7075T73B2.500X3.25
 DATE 16/10/06

PO BATCH NO 33638/135792

MATERIAL CERTIFIED yes
 QUANTITY RECEIVED 4
 QUANTITY INSPECTED _____
 QUANTITY REJECTED _____

THICKNESS ORDERED 2.50X3.25
 THICKNESS RECEIVED 2.50X3.25
 SHEET SIZE ORDERED _____
 SHEET SIZE RECEIVED _____

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORROSION	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	2.500
CORRECT THICKNESS	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
PHOTO REQUIRED	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	HEAT# 78274740
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	M7075T73B2.00X3.25
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	M135792
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGNOFF	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK
 RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS DUROMETER READING				

Testers located in the Quality Office

ENGINEERING SIGNOFF (if required)

QC 18 INSPECTION

INSPECTED BY 14
 DATE 16/10/06

SIGNED OFF BY _____
 DATE _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO33638**

Purchase Order Date 9/13/2016

PO Print Date 9/13/2016

Page Number 1 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

SEP 13 2016

Contact Name	Buyer	Chantal Lavoie
Vendor Phone	Customer POID	
	Customer Tax #	10127-2607
Ship To Contact	Terms	Net 30
Ship To Phone	Currency	USD
Ship Via: Yours ppd	FOB	Destination-Collect
Ship Acct:		

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M7075T73B2.500X03.25	7075-T73 Bar 2.50 x 3.25	9/29/2016 Yes 9/29/2016		4.00 f	\$62.00	\$248.00

MATERIAL: 7075-T73/T73510T73511 BAR AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

Line Total: \$248.00

2	M7075T73B4.000x4.000	7075-T73 Bar 4.0 x 4.0 grain direction along 4" wide	9/29/2016 Yes 9/29/2016		8.00 f	\$102.00	\$816.00
---	----------------------	---	-------------------------------	--	-----------	----------	----------

MATERIAL: 7075-T73/T73510T73511 BAR AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

NOTE: GRAIN DIRECTION MUST RUN ALONG 4" WIDE CUT IN 2PCS OF 4 FT

Line Total: \$816.00

Sp/6 9-29

Note:



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO33638**

Purchase Order Date 9/13/2016

PO Print Date 9/13/2016

Page Number 2 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

3	71401-45	procurement quality clauses	9/29/2016	1.00	✓	\$0.00	\$0.00
---	----------	-----------------------------	-----------	------	---	--------	--------

No

Procurement Quality Clauses

9/29/2016

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

2016-9-29

Line Total: \$0.00

PO Total: \$1,064.00

CLH

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 9/13/2016

Chantal Lavoie

From: Desbiens, Marc <mdesbien@amcastle.com>
Sent: Monday, September 12, 2016 3:21 PM
To: Chantal Lavoie
Subject: RE: quote

Hi Chantal,

price and delivery on material.

7075-t73 bar 2.5" x 3.25" x 4 ft \$ 248.00 Lot

7075-t73 bar 4" x 4" x 2 pcs of 4 ft grain direction along the 4" wide \$ 816.00 Lot

2 weeks U.S. dollars

Thanks

32978

Marc Desbiens
Inside sales representative
Castle Metals, Montreal, QC
Direct line 514-795-8176
1-800-806-6660 ext 52226
Fax # 1-855-892-6370

Customized Supply Chain Solutions for Your Metal Needs

This E-mail may contain proprietary information and may be confidential. You are to treat this material in accordance with your company's confidentiality policies and limit any distribution accordingly.

If you are not the intended recipient of this E-mail, you are hereby notified that any dissemination, distribution or copying of this message is strictly prohibited. If you received this message in error, please delete it immediately.

NOT sent
4-8